# 1. CN51 Battery Install and Cradle Connect

a) Unpack handheld and install battery.

b) Insert tabs on the battery into the CN51 and snap into place.

c) Place handheld in the cradle with the power plugged into the cradle and charge the battery for at least 24 hours in order to get a good charge.

* The handheld has the ability to connect wirelessly using your company's wireless or via sync software installed on your desktop. We at AccuBar recommend wireless if available. For wireless setup steps, please continue forward using step 2. For desktop options please skip to step 3 or 4. Contact AccuBar Support (800) 643-9517 for any questions or help regarding your setup.

2. Wi-Fi Setup

* If you want to use the AccuBar handheld wirelessly without having to dock the handheld, here are the procedures to set up the wireless connection. These settings are specific to your company's wireless network. You may need to contact your IT representative to assist you with the setup.

a) On the handheld, tap on **Start>Settings.**

b) Select **Connections** icon. Scroll down to find the **Wireless Center** icon and click on that.

c) Tap on the **Wi-Fi** in order to turn on the wi-fi.

d) Next, tap on the **menu** in the bottom right corner in order to enter the **Wi-Fi Settings**.

e) From the wi-fi settings screen, the settings for security choice default to use Funk Security.

f) Tap on the Funk Security to go into the setup page for the wi-fi network. This is where we setup the wi-fi profile that will be used for the wi-fi network.


g) Select the Profile you want to use to setup the network. You can leave the profile name as the default or you can change the name of the Profile to the same as your network to better easily identify it later whenever you have to make edits or changes. Tap OK to go to the next page to add the

SSID and Association Type.

h) Tap into the box of the SSID (Network Name) and enter the network name. This is case sensitive so be sure to type it in correctly as it is setup.

i) Tap the Association dropdown to choose the security type for the network. Typically this should be WPA2 but could be different depending on the network.

Scroll down to enter the Pre-Shared Key (Network Password).

j) Tap into the box of the Pre-Shared Key and enter it.

Again, this is case sensitive so be sure to type it in exactly as the network is setup.

k) Click OK when finished to accept the settings. Then click OK again to exit out to the Wireless Center to verify the Wi-Fi Network has accepted the setting and is connected to the desired network.

l) Once the hand held has been verified that it connected to the Wi-Fi Network, exit back to the Start Screen by selecting the OK button on the bottom right corner.

m) Click on Connect on the bottom left of the screen to connect your wireless network to the Internet. This will allow the handheld to have access to the AccuBar server.

n) In order to check and confirm that the Wi-Fi has been setup correctly, check the Internet connection. Click on Start > Internet Explorer and tap into the address field. Enter something like www.accubar.com to test the connection.

o) Once you have confirmed that the wireless connection is working, click on the X to exit Internet Explorer.

p) AccuBar will only enable the wireless when it needs to be enabled within the program, for example, to send inventories or to refresh items from server. Otherwise, it will disable the wireless connection to prevent the battery from being drained due to constantly searching for a network.
* If you choose NOT to use wireless, the following steps are your choice of connection. You may need to contact your IT department to install this software. Browse to v5.accubar.net and log in to your AccuBar account using login information that was sent to you in the welcome letter.
Navigate to Support > Support Home > Download Sync

Sync Software for Windows Vista/Windows 7 & 8 (32-bit)
http://download.accubar.net/bin/MDC-drvupdate-x86.exe

Sync Software for Windows Vista/Windows 7 & 8 (64-bit)
http://download.accubar.net/bin/MDC-drvupdate-x64.exe

Sync Software for Windows XP/2000
http://download.accubar.net/bin/ActiveSync4.5setup.msi

Software for latest sync software for your PC.

3. **For Vista/Windows 7/Windows 8:**
   Install Windows Mobile Device Center
a) Click **Run** to download and install Windows Mobile Device Center.
b) Click **Yes** to all security warnings.
c) **Accept** the License Agreement.
d) **Device Setup:** Connect cradle to power and to computer using power supply and USB cable, then place the handheld in the cradle.
e) **Partnership Setup:** Click on **Setup your device.**
   * You MUST setup the partnership in order for the handheld to automatically sync with the PC.

f) On the Sync Options screen, if any boxes display as checked, **uncheck** *all* boxes, then click **Next.**
g) Enter a device name and click **Setup.**
h) Your device will now be connected. Click **Finish.**

4. **For Win XP/Win 2000:**

Install Microsoft ActiveSync
a) Click **Run** to download ActiveSync.
b) Click **Run** to install ActiveSync.

c) Click **Next** to install ActiveSync on the computer.
d) Select the **Accept** radial to accept the License Agreement and click **Next**.
e) Enter a User Name or use the default and click **Next.**
f) Select **Next** to install to the default directory.
g) Click **Install** to begin the install.
i) Click **Finish** when the install has finished.
j) **Device Setup:** Connect cradle to power and to computer using power supply and USB cable, then place the handheld in the cradle.
h) **Partnership Setup:**
   Choose **Standard Partnership** and click **Next.**
   * You MUST setup the partnership in order for the handheld to automatically sync with the PC.
i) Choose **Synchronize with this desktop computer** and click **Next**, (Do **Not** select **Synchronize with Exchange Server**).
j) On the Sync Options screen, if any boxes display as checked, **uncheck** *all* boxes.
k) Click **Finish.**

Congratulations!

You have completed the setup of your handheld. See the Getting Started Guide to complete setup. For any support questions, please contact AccuBar Support at: (800) 643-9517.